



# TRADE PLUMBING & HARDWARE

PRODUCT RANGE 2021



Sealants  
Accessories  
Foam fillers  
Pvc solvent Cements & primers  
PVA Adhesives & Electrical  
Paints  
Timber Preservatives  
Landscaping and Garden

**TRADIES  
TRUST**



# PLUMBING SEALANTS



Silicones  
MS Hybrid  
Gap Fillers

**TRADIES  
TRUST**



# Roof & Gutter Silicone Sealant

High performance sealant for roofing applications

A premium quality silicone providing a waterproof seal with excellent adhesion to metal roofing, brick, concrete glass and some plastics.

### ADVANTAGES

- AS4020 Approved
- UV Stable
- Mould & fungal resistant
- ± 25% flexible
- Neutral curing

### USES

- Metal sheeting
- Guttering
- Internal / External

### QUICK REF GUIDE

- Colour **Grey/White/Blk/Trans**  
 Area **Internal / External**  
 Size **300ml Cartridge**  
 Code **Trans - 610324**  
**White - 610326**  
**Grey - 610319**  
**Black - 610327**



# Wet Area Silicone Sealant

High performance sealant for wet area applications

A premium quality silicone providing a waterproof seal with excellent adhesion to most common substrates

### ADVANTAGES

- UV Stable
- Mould & fungal resistant
- ± 25% flexible
- Non corrosive
- Neutral curing

### USES

- Bathrooms
- Kitchens
- Internal / External

### QUICK REF GUIDE

- Colour **Trans / White**  
 Area **Internal / External**  
 Size **24 hrs**  
 Code **300ml Cartridge**  
**Trans - 610316**  
**White - 610318**  
**GP Off White - 610370**



# Max MS

Hybrid adhesive/sealant

A premium high performance adhesive providing excellent adhesion to most common substrates

### ADVANTAGES

- Paintable
- Extremely flexible
- Superior grab
- Non staining/ Non bubbling
- MS Hybrid Technology
- Isocyanate free

### USES

- Most common building material

### QUICK REF GUIDE

- Colour **4 Colours**  
 Area **Internal / External**  
 Coverage **1.4m<sup>2</sup> at 10mm**  
 Dry Time **24 hrs**  
 Size **290ml Cartridge**  
 Code **Clear - 620524**  
**White - 620525**  
**Grey - 620523**  
**Black - 620522**



# Gap Filler

Acrylic gap filler

Gap Filler is a general purpose acrylic mastic painters caulk. Gap Filler is a fast drying, flexible and easily coated filler and is ideal for low movement joints and gaps prior to painting.

### ADVANTAGES

- Paintable
- Sandable

### USES

- Caulking
- Filling gaps

### QUICK REF GUIDE

- Colour **White**  
 Area **Internal / External**  
 Dry Time **24 hrs**  
 Size **300ml Cartridge**  
 Code **White - 600395**

## Hybrid

## Acrylic



# PLUMBING ACCESSORIES



Wipes  
Caulking guns  
Wax wraps

**TRADIES  
TRUST**



## Handy Wipes

Ready to use pre moistened towels

RLA Handy Wipes are a citrus based moistened, abrasive hand towel; suitable for removing silicone & sealants, polyurethane & pvc solvents, grease, oil, dirt and much more. No rinsing or drying required.

### ADVANTAGES

- Waterless
- Removes silicones
- High Strength

### USES

- Hands
- Tools
- Benches

### QUICK REF GUIDE

Colour **Orange**

Size | Code **100Wipes - 999614**



## Heavy Duty Caulking Gun

Premium grade caulking gun

Premium quality caulking gun for use with all 300mL and 850g cartridges

### USES

- Silicones
- Constructions adhesives

### SIZE | CODE

**300mL - A1380**

**850mL - 770502**



## Sausage Gun

High performance barrel gun

Premium quality caulking gun for use with all 600mL sausages

### USES

- Silicones
- Polyurethane

### SIZE | CODE

**600mL - 770501**

## Wax Wrap

## Wax Wrap

Woven synthetic fabric tape

Wax Wrap is a Petrolatum impregnated, woven synthetic fabric tape. For the protection of copper, steel and cast iron pipe work in above and below grade applications. Each product is supplied as a 10 metre roll of Wax Wrap.

### ADVANTAGES

- Protects
- Petrolatum protection

### USES

- Copper
- Steel

### SIZE | CODE

Size **50MM X 10M - 750002**

**100MM X 10M -750004**





# PLUMBING FOAM FILLERS



Foam fillers  
Applicator guns

**TRADIES  
TRUST**



## Expanding Foam Filler

Polyurethane foam

Expanding Foam is an aerosol dispensed expanding polyurethane foam. It expands to fill uneven gaps and voids. It expands up to 30 times original volume. It cures in 8 hours & can be cut, sanded & painted once cured.

### USES

- Walls
- Filling large gaps
- Rodent proof

### ADVANTAGES

- Expands 30 times
- Sandable
- Paintable

### QUICK REF GUIDE

Colour	<b>Beige</b>
Area	<b>Internal / External</b>
Dry Time	<b>8 Hours</b>
Size-Code	<b>290Gm - 620810</b> <b>484Gm - 620820</b>



## Expanding Foam Filler Gun Grade

Fire Retarded B2 Expanding Polyurethane Foam

Foam Filler Fire Retarded Gun Grade B2 is a one part moisture curing self-expanding polyurethane foam supplied in aerosol cans. It is easy to install by using the specially designed gun applicator. It will expand to fill gaps of all dimensions and in most difficult locations

### USES

- Walls
- Filling large gaps
- Rodent proof

### ADVANTAGES

- Expands 45 times
- Sandable
- Paintable

### QUICK REF GUIDE

Colour	<b>Beige</b>
Area	<b>Internal / External</b>
Dry Time	<b>8 Hours</b>
Size-Code	<b>750mL - 620865</b>

**Foam Filler  
Applicator Gun  
Code - 770503**



## FoamGrip PU Gun Grade

Gun applied, foaming polyurethane adhesive

A foaming polyurethane adhesive. Suitable for bonding a wide range of commonly used construction materials such as plasterboard, particle board flooring, timber, plywood, brick, block, concrete, AAC, CFC sheet, polystyrene, steel, some plastics & many other materials. Foamgrip PU helps reduce nail pull in sheets.

### USES

- Walls
- AAC, CFC
- Rodent proof

### ADVANTAGES

- Expands 30 times
- Sandable
- Paintable

### QUICK REF GUIDE

Colour	<b>Beige</b>
Area	<b>Internal / External</b>
Dry Time	<b>8 Hours</b>
Size-Code	<b>Foam grip PU</b> <b>750mL - 620876</b>

**Foam Filler  
Applicator Gun  
Code - 770503**



## Foam Filler Cleaner

Aerosol cleaner

Foam filler cleaner is an aerosol packed cleaner for use with the foam filler applicator tool. Cleans uncured PU foam from inside and outside the applicator gun.

### USES

- Cleans gun grade
- Filling large gaps
- Rodent proof

### ADVANTAGES

- Expands 30 times
- Sandable
- Paintable

### Size - Code

**500ml - 620870**



**PLUMBING**  
**PVC SOLVENT**  
**CEMENTS**  
**& PRIMERS**



Solvent Cements  
Priming Fluids

**TRADIES  
TRUST**





## PVC Priming Fluid

For use with PVC-U pipes and fittings

PVC Pipe Priming Fluid is a solvent based product which is specially formulated to clean and prime PVC-U pipes and fittings so they are free of dirt and grease. It is fast drying and leaves a pinkish stain to indicate where the PVC pipe has been correctly primed.

### USES

- Priming PVC pipes

### ADVANTAGES

- AS/NZS 3879 Approved
- AS/NZS 4020 Approved
- Australian Made

### COLOUR | CODE

- Red 125mL - A5621
- Red 250mL - A5623
- Red 500mL - A5625
- Red 1 L - A5627
- Red 4 L - A5629
- Red 20 L - A5631
- Clear 250mL - A5633
- Clear 500mL - A5635
- Clear 4 L - A5637



## Type N PVC PipeCement

For use with non pressure pipes.

RLA Type N Solvent Cement is designed as a high bond strength PVC pipe cement in all non pressure situations for either pipe work or sheet form PVC substrates.

Also available in: **Large Diameter** | **Gel** | **Slow Set**

### USES

- Strong adhesive

### ADVANTAGES

- AS/NZS 3879 Approved
- AS/NZS 4020 Approved
- Contact with drinking water
- Australian Made

### COLOUR | CODE

- Blue 125mL - A5581
- Blue 250mL - A5583
- Blue 500mL - A5585
- Blue 1 L - A5587
- Blue 4 L - A5589
- Blue 20 L - A5591
- Blue Gel 500mL - A5638
- Slow Set 500mL - A5584
- Clear Low Vapour 250mL - A5639
- Clear 250mL - A5593
- Clear 500mL - A5595
- Clear 4 L - A5597
- Clear 20 L - A6134



## Type P PVC PipeCement

For use with pressure pipes.

RLA Type P Solvent Cement is designed as a high bond strength PVC pipe cement in all pressure situations for either pipe work or sheet form PVC substrates.

### USES

- Strong adhesive

### ADVANTAGES

- AS/NZS 3879 Approved
- AS/NZS 4020 Approved
- Contact with drinking water
- Australian Made

### COLOUR | CODE

- Green 125mL - A5599
- Green 250mL - A5605
- Green 500mL - A5607
- Green 1 L - A5609
- Green 4 L - A5611
- Green 20L - A5613
- Clear 500mL - A5615
- Clear 4 L - A5617
- Clear 20 L - A5619

## ACCESSORIES



## Plumbing EzyRoll and Dauber


### COLOUR | CODE

- Ezy Roll Applicators Red 500mL - A6125
- Dauber Applicator Red 500mL - A6156
- Ezy Roll Applicators Blue 500mL - A6138
- Brushes Blue 500mL - A6155

**RLA has been supplying the Australian plumbing market for over 30 years.**



# PVA ADHESIVES & ELECTRICAL



PVA and MDF Adhesive  
Cable Lube

**TRADIES  
TRUST**



## PVA WoodGrip

Superior Performance PVA adhesive

Designed for high strength bonding for woodworking and general joinery applications. PVA Woodgrip is a low temperature film former and therefore eliminates chalking at low temperatures

### USES

- Timber
- Joinery
- Internal

### ADVANTAGES

- Superior strength
- Easy to use
- Fast drying

### QUICK REF GUIDE

Colour	<b>White</b>
Area	<b>Internal</b>
Dry Time	<b>12 Hours</b>
Size & Code	<b>250mL - 999570</b>
	<b>500mL - 999571</b>
	<b>1L - 999572</b>
	<b>4L - 999574</b>
	<b>20L - 999575</b>



## MDF Adhesive

High strength adhesive for medium density board

Specially formulated to provide good adhesion to medium density fibreboard

### USES

- Joinery
- Cabinets
- Interna

### ADVANTAGES

- Fast setting
- High bond strength
- Non hazardous

### QUICK REF GUIDE

Colour	<b>Pale Pink</b>
Area	<b>Internal</b>
Dry Time	<b>12 Hours</b>
Size & Code	<b>250mL - 999550</b>
	<b>500mL - 999580</b>
	<b>4L - 999581</b>
	<b>20L - 999582</b>

## Electrical



## CableLube

Code C cable pulling lubricant

Cable Lube is used to assist in the laying and pulling of cable into conduits under floors, under ground and more.

### USES

- Suitable on all electrical conduit.
- Vertical and horizontal.
- Internal / External

### ADVANTAGES


- Easy applicator bottle
- Water wash up
- Non-hazardous

### QUICK REF GUIDE

Colour	<b>Light blue</b>
Area	<b>Internal /External</b>
Size & Code	<b>1L - A4401</b>
	<b>20L - A4403</b>



# HARDWARE PAINTS



Survey Paints  
Driveway Paint  
Fence Paint

**TRADIES  
TRUST**



## TrafficPave

Non slip trafficable surface coating

Traffic Pave is a pre mixed, pre coloured water based, slip-resistant UV stable coating with excellent performance against wear and weathering. Providing a rejuvenated fresh and safe surface coating that is suitable for internal and external use. Forms a hard wearing finish.

### USES

- Driveways, Walkways
- Paths, landscapes
- Pool Surrounds,

### ADVANTAGES

- No primer required\*
- Fast Drying
- Excellent Colour
- Superior Durability
- Internal / External

### QUICK REF GUIDE

Colour **Slate & Light Grey**  
 Area **Internal/External**  
 Dry Time **3 Hours**  
 Size & Code **LG 4L - 481041**  
**LG 14L - 481040**  
**SG 4L - 481043**  
**SG 14L - 481042**



## FencePaint

Polymer based acrylic paint

RLA timber fence paint is a polymer based acrylic paint, suitable for use on smooth and rough sawn timber and cement sheeting. Designed for both internal & external applications cleaned & washed up in warm water.

### USES

- Fences
- Timber

### ADVANTAGES

- Internal / External
- Fast Drying
- Excellent Colour
- Superior Durability

### QUICK REF GUIDE

Colour **White/Charcoal /Blk**  
 Area **Internal/External**  
 Dry Time **2 Hours**  
 Size & Code **White 10L - 999608**  
**Charcoal 10L - 999612**  
**Black 10L - 999610**



## Survey Marking Paint



## Balchan Survey Paint

Premium marking paint

RLA Survey Paint is a quick drying, long lasting, highly durable spray marker used for writing and spot marking in a variety of applications including: landscaping, construction sites and surveying

### ADVANTAGES

- U.V Resistant
- Fast Drying
- Excellent Colour
- Long lasting

### USES

- Timber / Steel
- Bitumen
- Concrete
- Grass / Soil

### QUICK REF GUIDE

Area **Internal/External**  
 Dry Time **5 Minutes**

### 350G Aerosol

**Brilliant RED - ABA012**  
**Brilliant BLACK - ABA013**  
**Brilliant YELLOW - ABA032**  
**Brilliant BLUE - ABA033**  
**Fluro YELLOW - ABA040**  
**Brilliant PINK - ABA043**  
**Brilliant GREEN - ABA200**  
**Brilliant ORANGE - ABA203**  
**Brilliant WHITE - ABA207**



# TIMBER PRESERVATIVES



Timber treatments  
& preservatives.

**TRADIES  
TRUST**



## EcoSeal

Treatment for cut timber ends

Woodcare EcoSeal is an aerosol spray for the reinstatement of the treatment envelope of re-worked treated pine on timber up to H5. Above ground only

**Above ground only.**

### ADVANTAGES

- Protects cut timber
- Allows you to keep your warranty on timber
- Easy to use
- Fast drying

### USES

- H3 timber
- H4 timber
- Cuts on treated timber

### QUICK REF GUIDE

Colour	<b>Green</b>
Area	<b>Above ground</b>
Size- Code	<b>300gm - 999705</b>



## Enseal

Clear treatment for cut timber ends

Woodcare Enseal Clear is an aerosol spray for the reinstatement of the treatment envelope of re-worked treated pine on timber up to H3. Above ground only

**Above ground only.**

### ADVANTAGES

- Protects cut timber
- Allows you to keep your warranty on timber
- Easy to use
- Fast drying

### USES

- H2 timber
- H3 timber
- Cuts on treated timber

### QUICK REF GUIDE

Colour	<b>Clear</b>
Area	<b>Above ground</b>
Size- Code	<b>300gm - 999704</b>



## Endcheck

Wax emulsion timber sealer

Woodcare Endcheck is a wax based emulsion for the coating of log ends and sawn timber to reduce the moisture loss and resultant splitting.

### ADVANTAGES

- Prevents splitting
- Restricts moisture loss
- Dries to wax coating
- Suitable spray apparatus

### USES

- Logs
- Sawn timber

### QUICK REF GUIDE

Size	<b>20LT - 174050</b>
	<b>200LT - 174055</b>

**Don't take short cuts...Treat your end cuts!**  
**Ensure your timber remains treated & protected**

**All treated timber that is cut, notched or drilled needs to be retreated to ensure the longevity of the timber and ensure the warranty of your timber.**





# Landscaping and **GARDEN**



Binders  
and  
Paving sands

**TRADIES  
TRUST**





## GardenLock

Water based binding agent for stones and wood chips

For binding both landscaping and decorative stones in garden beds, pot plants & tree surrounds. Whilst still allowing for water penetration & keeping moisture in the soil. GardenLock binder assists in reducing ongoing maintenance & enhances the appearance of tones. It is touch dry after 1 hour & fully cures in 48 hours.

### ADVANTAGES

- Keeps stones in position
- Allows water flow
- 1 Hour touch dry
- Art & craft application
- UV Stable

### USES

- Tree surroundings
- Garden beads
- Pot plants

### QUICK REF GUIDE

Colour	<b>Dries clear</b>
Dry time	<b>24Hrs full cure</b>
Size- Code	<b>500mL - A6030</b>
	<b>1L - A6031</b>
	<b>4L - A6034</b>
	<b>20L - A6035</b>



## PavingSand

Jointing material for clay and masonry pavers

PavingSand is a joint filler designed for paving. It has been specially formulated using a specialised blend of washed sand and additives to allow rapid filling of all paving joints.

### ADVANTAGES

- Perfect joint filler designed to lock pavers together.
- Multiple uses, footpaths, driveways and sloping paths
- Great for high wind areas

### USES

- Foot Paths
- Drive ways
- Sloping sites
- In high wind areas
- Where mobile sweepers are used .

### QUICK REF GUIDE

Colour	<b>Neutral - RL7414-20</b>
	<b>Charcoal - RL7414CH-20</b>
Size	<b>20KG Bags</b>

Garden lock allows you to keep your paths & garden stones and chips in place. To keep your garden looking immaculate, year round.





# TRADE TRUSTED ADVICE

The MyRLA app gives you instant access to a nationwide technical & sales force, at your fingertips. To help with project advice, product selection and job support.



## MyRLA APP

Project & Product Advice  
Usage calculators  
Specification services  
Data Sheet Downloads  
Weekly prizes  
& more

T. 1800 242 931

### VIC

215 Colchester Rd  
(PO Box 147)  
Kilsyth VIC 3137

### NSW

363 Wentworth Ave  
Pendle Hill,  
NSW 2145

### QLD

57 Fulcrum Street  
Richlands  
QLD 4077

### WA

24 Hanwell Way  
Bassendean,  
WA 6054

### SA

30/32 Park Ave,  
Woodville North  
SA 5011

[www.rlapolymers.com.au](http://www.rlapolymers.com.au)